

Computer Hardware

Keep Your Keyboard Clean with a Completely Submersible Thin-Profile Keyboard from Logitech®

NEW



From a light dusting to a soak, Logitech's washable keyboard is easy to clean and easy to dry. Its submersible in up to 11 inches of water and has convenient drainage holes at the back for speedy drying. The durable keys, tough tilt legs and increased resistance to surface scratches make the Washable Keyboard one of the toughest on the market. Navigation and playback controls are accessible from the function keys.



KEYBOARD, USB	1	5+	10+
138 0230 Washable, white keys	39.99	39.49	38.99

Selectable Color LED Backlit Keyboard with Large Print Keys Makes Typing Easy



- Smooth typing
- Slim, compact size
- Adjustable height



LARGE PRINT KEYBOARD, USB	1	5+	10+
138 0168 Multimedia, backlit	35.95	34.95	33.95

More keyboards at
CYBERGUYS!.COM

Freshen Up Your Workspace with Standard-Sized Durable PS/2 Keyboard



- Full-sized key layout
- Durable, quiet-touch keys
- Adjustable height

KEYBOARD, PS/2	1	5+	10+
138 0224 Standard	5.49	5.29	5.09

Keep the PS/2 legacy alive with a sleek new Microsoft Windows-compatible PS/2 keyboard. The quiet keys are gentle on the fingers and built to provide years of use.

Save Space with a Full-Featured Compact Keyboard

Less than 12 inches wide, this compact and lightweight keyboard works where space might be limited. This 87-key mini keyboard provides exactly what you need—even an embedded tenkey pad—to type on USB or PS/2 machines.

NEW



6" L x 11 3/4" W x 1" H

Includes PS/2 Adapter

Includes PS/2-to-USB adapter. Requires Microsoft Windows 2000+. Basic features should work with other operating systems.

KEYBOARD, USB	1	5+	10+
138 0183 Mini, slim, w/PS/2 adapter	31.19	30.59	29.99

Super-Small Keyboard is Less Than 9" Wide

It's so small, it fits in the palm of your hand! This space-saving Windows-compatible keyboard, with compact key pitch, requires less stretching of the fingers, making it ideal for users who may have restricted arm, hand or finger movement. It is also great in tight spaces such as on server racks or at crowded LAN stations.



- Short throw membrane key technology is reliable & quiet
- Selectable orange or blue LEDs
- 56" USB cable; 6 1/2 oz.

KEYBOARD, USB	1	5+	10+
138 0371 Super mini, black	35.69	34.49	33.09

Universal Peek-Proof Keyboard Skin

Don't be fooled by imitations! This is the patented typing mask for touch-type keyboard instruction.



117 0527—Fits most standard keyboards

LEARN TO TYPE KEYBOARD SKIN	1	5+	10+
117 0527 Fits most keyboards	11.09	10.61	10.32
117 0528 Apple keyboards, laptops	11.09	10.61	10.32

Keyboard, laptop not included

Use a Reliable 800dpi Optical Mouse for Daily Mousing Needs

With an 800 dpi resolution sensor, this USB mouse offers reliable performance in a sturdy, practical design. Its compact size and ambidextrous shape provide the familiar scroll wheel and three-button configuration.



Requires Microsoft Windows 98SE+.

OPTICAL MOUSE, 3-BUTTON	1	5+	10+
133 0112 800dpi, USB, black	6.99	6.89	6.79

High-Resolution Wireless Mouse Reads up to 2000 Dots Per Inch



MANHATTAN

- Auto power save/off modes
- Battery life up to 1.5 years

Combining a modern design with advanced precision, this full-sized wireless mouse includes a resolution button which adjusts the optical scanner from 1000 to 1500 to 2000 dpi. The powerful but inconspicuous USB micro receiver utilizes advanced 2.4GHz radio technology to provide an operating range of over 30 feet.

WIRELESS OPTICAL MOUSE, 4-BUTTON	1	5+	10+
133 0163 2.4GHz, USB receiver	13.95	13.45	13.05

Xtrac Ripper XXL Gaming Pad

The XTracPads mouse pad uses a nanofiber textile surface that's been scientifically crafted to improve mouse momentum and tracking. Designed for precision, its soft cloth surface is comfortable, extremely durable and easy on your mouse feet.



- Whisper quiet nanofiber textile surface
- Soft and comfortable w/fray resistant edges
- Extra thick Sure Grip rubber backing
- 36" x 18" mousing surface
- Designed & Made in USA

MOUSE PAD	1	5+	10+
107 0292 Xtrac Ripper XXL	25.99	25.49	24.99

Get the Job Done Simply with a 3-Button Optical Mouse that's Compatible with All PS/2 and USB Machines



Includes PS/2 Adapter

This 3-button optical scroll mouse is an outstanding value in a replacement mouse. The "built-to-last" micro switches are designed to endure over a million clicks and the clean symmetrical shape is comfortable in either hand. Includes PS/2 adapter.

PS/2 Keyboard to USB Port Adapter

Dust off your favorite old-school keyboard and connect it to your new system. This adapter allows you to connect any PS/2 keyboard to any USB port.

- Easy to install, no software required
- Compatible With Windows 98SE+



PS/2 TO USB ADAPTER	1	5+	10+
131 0835 For PS/2 keyboard	7.29	6.89	6.49

Fight Mouse Pad Fatigue with our Soft Ergonomic Mouse Pad

Our combination mouse pad and wrist rest uses a just-the-right-size, ergonomically correct pad made with a special comfort gel by BASF. Help stop the effects of carpal tunnel syndrome and the aches and pains associated with incorrect wrist alignment.



FATIGUE-FIGHTER MOUSE PAD	1	5+	10+
107 0110 BASF gel, black	5.29	5.15	4.99

More mice at
CYBERGUYS.COM

Requires Microsoft Windows 95+ or Mac OS 8.6+.

OPTICAL MOUSE, 3-BUTTON	1	5+	10+
133 0232 USB w/PS/2 adapter	4.99	4.79	4.59

PS/2 Keyboard & Mouse to USB Port Adapter



Connector 1: USB type'A' male
Connector 2 & 3: PS/2
Common Uses: Connect a PS/2 mouse AND keyboard to a USB type'A' port
Length: 8 inches

ZIOTEK PS/2 TO USB ADAPTER	1	5+	10+
104 0444 For PS/2 keyboard, mouse	9.69	9.09	8.49

Classic Mouse Pads

Choose from quality natural rubber or basic economical foam mousepads.



9 3/4" L x 7 3/4" W x 1" H

MOUSE PAD	1	5+	10+
107 0130 Economical foam, blue	0.89	0.84	0.81
107 0140 Economical foam, grey	0.89	0.84	0.81
107 0120 Economical foam, red	0.89	0.84	0.81
107 0160 Natural rubber, blue	1.99	1.86	1.80
107 0155 Natural rubber, grey	1.99	1.86	1.80
107 0165 Natural rubber, red	1.99	1.86	1.80

Computer Hardware

One-Touch KVM Switches Make it Possible to Operate Two Computers with Just One Keyboard, One Monitor & One Mouse!



104 0112

- PC, Mac & Sun compatible
- Supports DDC2B
- No software to install
- USB-powered, no AC adapter

Share a VGA monitor, USB mouse and USB keyboard between 2 computers with IOGEAR's straightforward 2-port KVM switches. They support Microsoft Windows®, Oracle®/Solaris and Mac OS®. Press the button on the top of the KVM to switch between computers. With cables built right into the unit, no additional hardware or cabling is required.

Connect any Serial Device to Your PC Through a USB Port

This USB-compliant adapter works with any RS-232 device and installs quickly. Just load the driver and plug it in.



Compatible with Microsoft Windows 98SE+ (including 64-bit versions of Microsoft Windows XP/Vista/7) and Mac OS 8.6-9.2 or 10.2+.

DB9 USB ADAPTER CABLE	1	5+	10+
104 0475 For serial devices, 14 in.	21.49	20.59	19.69

9-Pin Serial & Extension Cables



Connectors: DB9 (AKA: RS-232, DE9)

Common Uses: Serial (RS-232) applications: mouse, modem, null modem, monochrome monitors, serial mice, serial printers and other serial devices

DB9 (DE9) SERIAL CABLE	1	5+	10+
129 1100 Male to Male, 6 ft.	3.09	2.90	2.71
129 1110 Male to Male, 10 ft.	3.79	3.55	3.31
121 2130 Male to Female, 6 ft.	2.59	2.45	2.31
121 2150 Male to Female, 10 ft.	3.79	3.56	3.34
121 2160 Male to Female, 25 ft.	7.29	6.83	6.37

Terminal Connectors



TERMINAL CONNECTOR	1	5+	10+
131 2000 DB9 (DE9) F to RJ-11/12	2.09	1.92	1.75
131 2010 DB9 (DE9) M to RJ-11/12	2.19	2.01	1.84
131 2040 DB9 (DE9) F to RJ-45	2.19	2.01	1.84
131 2050 DB9 (DE9) M to RJ-45	2.19	2.01	1.84
131 2060 DB25 F to RJ-45	2.29	2.10	1.92
131 2070 DB25 M to RJ-45	2.29	2.10	1.92

DE9 (DB9) to DB25 Adapters



DB9 TO DB25 ADAPTER, THIN-STYLE	1	5+	10+
131 0142 DB9 (DE9) F to DB25 M	2.09	1.99	1.89
131 0144 DB9 (DE9) M to DB25 F	2.09	1.99	1.89
131 0146 DB9 (DE9) F to DB25 F	2.09	1.99	1.89
131 0148 DB9 (DE9) M to DB25 M	2.09	1.99	1.89

More legacy cables & adapters at CYBERGUYS.COM



Step up and add audio support along with a wired remote switch to make KVM sharing even more convenient!

- Wired Remote Switch
- Audio & microphone support
- Supports programmable mice
- No software drivers required

Requires Microsoft Windows XP+, Mac OS 9.0+ or Oracle®/Solaris 9+.

KVM SWITCH, 2-USB PORTS	1	5+	10+
104 0112 VGA	21.99	21.49	20.99
104 0170 VGA, w/audio, mic ports	29.99	28.99	27.99

Extend the Useful Life of Older PCs and Components with these USB Adapters for Printers and Serial Devices!

USB PC with DB25 parallel printer



122 0203

- Unified 512B buffer
- Meets IEEE 1284 1994 bi-directional specifications
- Complies with USB specification v. 1.1

USB PC with Centronics parallel printer



122 2420

- Connects most printers with a parallel connection to a USB port

DB25 parallel PC with USB printer



122 0202

- Works with most USB printers
- IEEE1284.4 compliant
- Unidirectional or bidirectional

Includes an integrated AC adapter for the power needed to communicate with USB printers. Requires DB25 parallel socket and USB printer with type 'B' socket. The adapter can be used to output to multifunction printers but cannot be used to receive scans or faxes.

USB ADAPTER CABLE	1	5+	10+
122 0203 Parallel printer, DB25	19.99	18.60	17.22
122 2420 Parallel printer, Centronics	21.99	20.51	19.03
122 0202 Parallel to USB printer	94.99	93.99	92.99

Logitech® 720p USB Webcams Improve Your Video Chats and Blogs with Higher Resolutions & Less Choppiness

Enjoy fluid, widescreen high-definition 720p video calls on Skype, Yahoo! Messenger and other major instant messaging applications with Logitech's USB webcams. Stream video, share recorded videos, post your video blogs, even upload high-definition videos to Facebook or YouTube with a single click. Built-in automatic light correction and noise reduction creates smoother video calls and clips without annoying choppiness.



NEW



204 0321—720p, 5MP still captures

- Universal clip for laptops, CRTs or LCDs
- Compatible with Skype, Windows Live Messenger, Gmail and Yahoo Messenger
- Photo/video editing software available at logitech.com



204 0323—720p, 3MP still captures

Requires 2.4GHz Intel Core 2 Duo PC or better PC with 2GB or more RAM, 1Mbps or better Internet connection, a 1280x720 screen resolution and Microsoft Windows XP SP2 or better.

LOGITECH USB WEBCAM, HD 720P	1	5+	10+
204 0323 C270 USB Webcam, 3MP	39.99	39.49	38.99
204 0321 C310 USB Webcam, 5MP	49.99	49.49	48.99

Sweet-Sounding Compact Logitech® Speakers



HOT!

- 1.5W RMS per channel
- 3.5mm stereo plug
- Headphone output jack
- AC powered
- Volume dial
- No power brick

PC SPEAKERS, MULTIMEDIA	1	5+	10+
190 0456 Logitech, 3W RMS, black	10.69	10.39	10.09

VoIP Directional Desktop Microphone

This one-directional desk mic is optimized for voice-over-IP applications. Its noise-filtering design provides outstanding voice clarity. Connects to 3.5mm audio-in jack.



- 100 Hz - 16 kHz frequency response

PC MICROPHONE, DESKTOP	1	5+	10+
190 0531 Noise-canceling mic	8.99	8.59	8.09

Hear Fine USB Digital Audio with Logitech's S150 2.0 Speaker System



With pure digital audio and a sleek portable design, these USB-connected speakers sound great on your desk or on the road. Connect the single USB cable to your desktop or laptop... no need for an analog audio cable or an AC adapter.



USB SPEAKER SYSTEM	1	5+	10+
190 0822 Logitech S150	12.99	12.59	12.09

Add Microphone & Speaker Jacks to Your PC Instantly... No Sound Card Needed!

These simple USB audio adapters plug into a USB port, and let you connect speakers, headphones or a microphone to your USB-equipped PC, even if it has no sound card!



104 0128

- Speaker/headphone jack
- Microphone jack

Connector 1: USB type 'A' male
Connector 2a: 3.5mm headphone jack
Connector 2b: 3.5mm microphone jack



104 0139—With volume and mute controls

Requires Microsoft Windows 98SE+, Linux or Mac OS. 10.1+. Laptop not included

USB AUDIO ADAPTER, STEREO	1	5+	10+
104 0128 w/Mic port	9.59	9.09	8.79
104 0139 w/Mic port, vol. control	13.59	13.09	12.59

Computer Hardware

USB 2.0 Active Extension Cable Gives You Flexibility On Peripheral Placement

Use a USB 2.0 active extension cable to eliminate the 16-foot-length barrier of most USB cables. You can arrange your USB peripherals where they are most convenient instead of where the cable allows you to. This bus-powered cord extends the range of your USB peripherals while maintaining signal integrity. Multiple active extension cables can be daisy-chained to span a distance up to 80 feet.



NEW

USB 2.0 CABLE	1	5+	10+
202 0535 Active Extension, 33ft.	17.95	16.95	15.95

Jointed USB 2.0 Adapter Fits Cramped Spaces

The FlexUSB USB plug adapter allows you to add a right angle to any USB plug. If you need to access a USB plug that's in a tight space, the FlexUSB can help.

- ± 90° horizontally & vertically
- Ratcheting positions for stability
- Ideal for digital cameras, printers, scanners, keyboards, mice and more!



USB 2.0 FLEX ADAPTER	1	5+	10+
131 0572 'A' male to 'A' female, black	7.79	7.39	6.99

File Transfer Cable with Built-In Software Makes Exchanging Files Simple!

Transfer files easily between computers with these simple-to-use USB file transfer cables. Whether you are transferring files from PC-to-PC or PC-to-Mac, or even Mac-to-Mac, there is a cable for you. Built-in software launches automatically, providing an easy drag-and-drop file transfer interface.



FILE TRANSFER CABLE W/ SOFTWARE	1	5+	10+
202 5102 PC-to-PC, USB 2.0, black	20.99	19.99	18.99
202 5111 PCs/Macs, USB 2.0, white	29.95	28.95	27.95

Premium USB 2.0 Cables in Beige or Black

USB 2.0 Male-to-Male

Type 'A' male to type 'A' male
USB 2.0 cord is for manual
switchboxes and some USB
adapters.



Caution: This is not a peer-to-peer data transfer cable. Attempting to connect 2 computers with this cable may cause a short circuit.

Type 'A' male

Type 'A' male

USB 2.0 Device Cord

Type 'A' male to type 'B'
male USB 2.0 device cord
is the most common USB
cable for connecting a
printer, hard drive, scanner
or hub to your PC.



Type 'A' male

Type 'B' male

USB 2.0 Extension Cord

Type 'A' male to type 'A'
female USB 2.0 extension
cord for use with many
USB peripherals.

Note that the total distance between USB
ports cannot exceed 5 meters (16 feet).



Type 'A' male

Type 'A' female

USB 2.0 Mini-USB & Micro-USB

Generally used
with portable
electronic devices like
camcorders, cameras,
smartphones, e-book
readers, MP3 players
and Bluetooth®
headsets. Choose
between the 5-pin
Mini-USB plug, or the
narrow Micro-USB
connector.



Type 'A' male


Micro-USB

USB 2.0 CABLE

	1	5+	10+
131 1029 'A' male to 'A' male, black, 3ft.	2.39	2.21	2.03
131 1030 'A' male to 'A' male, black, 6ft.	2.99	2.76	2.53
131 1031 'A' male to 'A' male, black, 10ft.	3.19	2.96	2.73
131 1032 'A' male to 'A' male, black, 15ft.	4.29	3.98	3.67
131 0981 'A' male to 'B' male, black, 3ft.	2.59	2.39	2.19
131 0980 'A' male to 'B' male, black, 6ft.	2.99	2.76	2.53
131 0985 'A' male to 'B' male, black, 10ft.	3.19	2.95	2.72
131 0990 'A' male to 'B' male, black, 15ft.	4.39	4.07	3.75
131 0771 'A' male to 'A' female, beige, 3ft.	2.59	2.39	2.19
131 0785 'A' male to 'A' female, beige, 6ft.	2.99	2.77	2.55
131 0790 'A' male to 'A' female, beige, 10ft.	3.29	3.05	2.82
131 1033 'A' male to 'A' female, black, 3ft.	2.59	2.39	2.19
131 1034 'A' male to 'A' female, black, 6ft.	2.99	2.77	2.55
131 1035 'A' male to 'A' female, black, 10ft.	3.29	3.05	2.82
131 1036 'A' male to 'A' female, black, 15ft.	4.29	3.98	3.67
131 1019 'A' male to Mini male, black, 3ft.	2.19	2.04	1.89
131 0995 'A' male to Mini male, black, 6ft.	3.19	2.96	2.73
131 1020 'A' male to Mini male, blk., 10ft.	3.99	3.69	3.39
131 1021 'A' male to Mini male, blk., 15ft.	4.69	4.34	3.99
131 0111 'A' male to Micro male, blk., 3ft.	5.29	4.86	4.44
131 0112 'A' male to Micro male, blk., 6ft.	6.39	5.87	5.35
131 1022 'A' male to Micro male, blk., 10ft.	6.99	6.41	5.83
131 1023 'A' male to Micro male, blk., 15ft	7.99	7.49	6.99

USB Shortys® Can Clear Up Tangles Around Your USB Ports


The USB Shortys® USB 2.0 cables provide easy access to hard-to-reach USB ports on your laptop or USB hub. Or they can help navigate around other plugs and devices that are blocking USB ports. Cables measure either 7½" or 12" inches tip-to-tip.



USB 2.0 SHORTYS CABLE	1	5+	10+
131 1547 'A' male to 'A' female, 7.5in.	3.29	3.00	2.72
131 1548 'A' male to 'B' male, 7.5in.	3.29	3.00	2.72
131 1549 'A' male to 'A' male, 7.5in.	3.29	3.00	2.72
131 1550 'A' male to Mini male, 7.5in.	4.29	3.91	3.53
131 1551 'A' male to Micro male, 7.5in.	4.49	4.10	3.72
131 1556 'A' male to Mini/Micro male, 7.5in	7.99	7.32	6.65
131 1542 'A' male to 'A' male, 1ft.	3.79	3.45	3.12
131 1543 'A' male to 'A' female, 1ft.	3.79	3.45	3.12
131 1544 'A' male to 'B' male, 1ft.	3.79	3.45	3.12
131 1545 'A' male to Mini male, 1ft.	4.79	4.36	3.93
131 1546 'A' male to Micro male, 1ft.	4.99	4.56	4.13
131 1552 'A' male to Mini/Micro male, 1ft	8.99	8.20	7.42

SuperSpeed USB 3.0 Device Cables

Connect USB 3.0 ("SuperSpeed") devices to USB 3.0 computers with these device cables. Designed specifically for the USB 3.0 plugs and sockets, each can carry 5 gigabits per second, ten times faster than USB 2.0.



Please note: cannot be used with USB 2.0/1.1 devices

USB 3.0 CABLE	1	5+	10+
131 1134 'A' male to 'A' male, blue, 3ft.	5.99	5.55	5.11
131 1135 'A' male to 'A' male, blue, 6ft.	6.99	6.49	5.99
131 1136 'A' male to 'A' male, blue, 10ft.	8.99	8.35	7.71
131 1137 'A' male to 'A' male, blue, 15ft.	11.99	11.11	10.24
131 1138 'A' male to 'B' male, black, 3ft.	6.99	6.47	5.96
131 1139 'A' male to 'B' male, black, 6ft.	7.99	7.42	6.86
131 1140 'A' male to 'B' male, black, 10ft.	9.99	9.29	8.60
131 1141 'A' male to 'B' male, black, 15ft.	12.99	12.08	11.18
131 1142 'A' male to 'A' female, blue, 3ft.	6.99	6.47	5.96
131 1143 'A' male to 'A' female, blue, 6ft.	7.99	7.42	6.86
131 1144 'A' male to 'A' female, blue, 10ft.	9.99	9.29	8.60
131 1145 'A' male to 'A' female, blue, 15ft.	12.99	12.08	11.18
131 1146 'A' male to Micro male, blue, 3ft.	8.99	8.34	7.69
131 1147 'A' male to Micro male, blue, 6ft.	9.99	9.29	8.59
131 1148 'A' male/Micro male, blue, 10ft	11.99	11.16	10.34
131 1149 'A' male/Micro male, blue, 15ft	14.99	13.96	12.93

USB 2.0 Adapters & Gender Changers



More USB 2.0 & USB 3.0 adapters and cables available online
cyberguys.com

USB 3.0 Adapters & Gender Changers

NEW

131 1048 'A' female to 'A' female	5.99	5.69	5.40
131 1050 'A' female to 'B' female	5.49	5.19	4.90
131 1052 'A' male to 'B' female	5.49	5.19	4.90
131 1054 'B' male to 'B' female	5.49	5.19	4.90
131 1056 'A' female to Micro male	5.99	5.69	5.40
131 1058 'A' male to Micro-USB Male	5.99	5.69	5.40
131 1060 'B' male to Micro-USB Male	5.99	5.69	5.40

USB HUBS

We have a solution that fits your connectivity needs. Need a 28-port powered USB hub to connect a multitude of devices? Or maybe you need a compact, 4-port hub that packs easily in your mobile office? Cyberguys provides one of the largest selections of USB hubs on the market.

Select Which Set of USB Ports You Need Active with this Illuminated 10-Port USB 3.0 Hub Strip

NEW

USB 3.0 / 10-PORT



With the flip of a switch, you can activate or deactivate your USB devices to control electrical demand and restrict data path confusion. This hub strip includes nine USB 3.0 ports, grouped into blocks of three, with each block controlled by a separate rocker on/off switch. LEDs illuminate the ports and the nearby status indicators to show current status. A tenth outlet on the side (with its own on/off switch) delivers up to 2.1A to charge power-hungry 10-inch tablets like the iPad®.

USB type: USB 3.0
Ports: 10
Measurements: 8 5/8" L x 1 1/8" W x 1 1/8" H
Cord length: 3 ft.

Built-in tablet charging port


SATECHI

Includes USB 3.0 cable, AC adapter, and a strip of 3M mounting tape. Devices not included.

USB 3.0 HUB W/TABLET CHARGING	1	5+	10+
104 0212 10-Port, rocker switches	59.99	59.99	59.99

Seven USB 3.0 Power Ports With Rocker Switches

USB 3.0 / 7-PORT



This 7-port SuperSpeed USB 3.0 hub offers the freedom to choose which USB devices you want active. Compact and travel friendly, it's equipped with a selectable power switch for each individual port. There's no need to unplug any unused USB peripherals, such as flash drives or scanners... instead, just select which devices you want active.

USB 3.0 HUB W/AC ADAPTER	1	5+	10+
104 0204 7-Ports, rocker switches	54.95	53.95	52.95

Connect SuperSpeed USB 3.0 Devices to Your PC with 4-Port Hub

USB 3.0 / 4-PORT



For data transfers approaching 5 gigabits per second, SuperSpeed USB 3.0 is what you want. This 4-port hub makes it easy to attach multiple USB 3.0 devices to a single computer. You can also use it to connect USB 2.0 devices as well. The AC adapter provides 2 amps total.

USB 3.0 HUB W/AC ADAPTER	1	5+	10+
104 0534 4-Ports	28.99	28.49	27.99

Connect up to 28 USB Devices—Includes 4 USB 3.0 Devices—to Your PC with this Single 4-Amp USB Hub

USB 3.0/2.0 / 28-PORT



Don't bother with less-capable hubs; the MondoHub is here to provide you with 28 ports of pure USB connectivity. With eight ports up front, eight ports on the back, and 12 ports on the top, the MondoHub is the ultimate in device docking. Press any of the 28 buttons to activate each port individually. Four of the ports provide fast SuperSpeed USB 3.0 data transfers of 5Gbps (when connected to a USB 3.0-capable computer).

MANHATTAN

MONDOHUB, USB 2.0/3.0 COMBO

1	5+	10+	
104 0185 28-Ports w/AC adapter	82.99	82.99	82.99

13-Port USB 2.0 Hub

USB 2.0 / 13-PORT



zio TEK

Quickly Connect Multiple Peripherals to Your Laptop with One Plug

This slim docking station makes connecting your laptop to all your home peripherals a snap! Connect the single USB 3.0 plug to instantly plug your computer to your monitor, printer, keyboard, mouse, speakers, Ethernet LAN, external hard drives and more.

- Supports stereo 2.1 (3-channel) audio
- Supports 10/100/1000 (Gigabit) Ethernet
- Supports High-Definition HDMI

NEW

DOCKING STATION, USB 2.0/3.0

1	5+	10+	
104 1123 6 Ports, w/HDMI/DVI Video	149.00	145.00	141.00

42

CALL US (800) 892-1010

CYBERGUYS!

Slim 12-Port Hub Both Easy to Use & Easy to Travel With



USB 2.0 HUB W/AC ADAPTER	1	5+	10+
104 0186 12-Ports, control switches	27.95	27.45	26.95

7-Port USB 2.0 Hub Stands On Its Own




Includes stand, AC adapter and USB cable. Requires Microsoft Windows 2000+, Mac OS 10.2+ or Red Hat Linux 9+.

USB 2.0 HUB W/AC ADAPTER	1	5+	10+
104 0199 7-Ports, w/stand	14.95	14.45	13.95

USB Printer Gateway Switches Automatically; No More Fiddling with Cords and Buttons

IOGEAR's USB 2.0 printer auto-sharing switch enables two computers to easily share one USB printer, multi-function printer, or other USB device. Once the switch software is installed, you won't have to unplug and replug your devices. Simply send the print job and the switch automatically makes the swap for you.



Includes 2 USB cables and software on MiniCD. Requires Microsoft Windows 2000+ or Mac OS 10.3.9+. Computers and printers not included.

USB 2.0 SHARING SWITCH	1	5+	10+
202 5473 2 PCs to 1 USB device	24.95	24.45	23.95

10-Port Hi Speed USB 2.0 Hub w/AC Adapter

USB 2.0 / 10-PORT

With 10 USB ports all in a row, Manhattan's compact USB hub is particularly useful for a bevy of thumb drives or other USB devices that you frequently need to access.



It can even be wall mounted like a power strip, and its included AC adapter provides up to 2 amps of 5V power to power and recharge your accessories.

USB 2.0 HUB W/AC ADAPTER	1	5+	10+
104 0196 10-Ports, wall mountable	21.59	21.59	21.59

Compact Vertical 7-Port USB 2.0 Hub

USB 2.0 / 7-PORT

Need more USB ports? This compact hub provides 7 of them and only takes up 7 square inches of desk space. With USB 2.0 support and an included 2.5A AC adapter, this hub can easily tie all your peripherals together.




Includes stand, USB cable and AC adapter. Requires Microsoft Windows Me+ or Mac OS 9.0+.

USB 2.0 HUB W/AC ADAPTER	1	5+	10+
104 0378 7-Ports w/stand	17.99	17.49	16.99

Provide Power to Only the USB Ports of Your Choosing

USB 2.0 / 7-PORT

This 7-port USB 2.0 hub offers the freedom to choose which USB devices you want active. Compact and travel friendly, it's equipped with a selectable power switch for each individual port. There's no need to



USB 2.0 HUB W/AC ADAPTER	1	5+	10+
104 0194 7-Ports, rocker switches	22.95	22.11	21.29

4-Port USB 2.0 Hub With Sleek Aluminum Design



Add four additional USB ports to your PC, Mac, or laptop without compromising desk space with Satechi's aluminum hub. Encased in sleek white aluminum, this hub can fit in the palm of your hand. Connect any USB device such as cameras, phones, external hard drives, flash drives, printers and more. It does not require any software or complicated installation process... simply plug into your computer and the extra USB ports are ready for use!

- Shielded USB cable for secure data transfer
- Portable and easy to move between systems
- Design ideal for Mac Pro®, iMac®, MacBook Air®, MacBook Pro® and Mac mini®

104 0202
Ports: 4
USB: 2.0
Size: 1 1/2" L x 3 1/2" W x 1" H
Power: USB only
Cable: 9 1/2"



Compatible with Mac OS 9.1+, Microsoft Windows 98SE+ and Linux 2.4+. iPhone, other devices and cables shown not included.

USB 2.0 HUB, FOR MACS	1	5+	10+
104 0202 4-Ports, aluminum	27.99	27.99	27.99

Computer Hardware

DVI Dual-Link

DVI Dual-Link Cables and Extension Cables



Connector 1: DVI-D (dual-link) male
Connector 2: DVI-D (dual-link) male
Common Uses: Connect digital video card to a digital video display

Connector 1: DVI-D (dual-link) male
Connector 2: DVI-I (dual-link) female
Common Uses: Extend an existing digital display DVI cable

Connect a digital video card to a digital video display with one of these DVI dual-link cables. Does not include wiring for analog signals.

DUAL-LINK DVI-D CABLE		1	5+	10+
121 1177	M/M, 6 ft.	10.99	10.39	10.04
121 1174	M/M, 9 ft.	12.99	12.29	11.87
121 1175	M/M, 16 ft.	19.99	18.93	18.29
121 1176	M/M, 24 ft.	44.99	43.27	42.24
121 1170	M/F, 6 ft.	13.99	13.25	12.82
121 1171	M/F, 9 ft.	15.99	15.13	14.62

DVI Single-Link

DVI-D Single-Link Cables



Connector 1: DVI-D (single link) male
Connector 2: DVI-D (single link) male

Connect a digital video card to a digital video display with one of these DVI single-link cables. Straight digital, does not include wiring for analog signals.

SINGLE-LINK DVI-D CABLE		1	5+	10+
121 1166	M/M, 6 ft.	8.99	8.54	8.27
121 1167	M/M, 9 ft.	11.99	11.28	10.85
121 1168	M/M, 16 ft.	13.99	13.25	12.82
121 1169	M/M, 24 ft.	39.99	37.91	36.67

DVI to HDMI

DVI to HDMI Digital Video Cables



Connector 1: HDMI male
Connector 2: DVI-D (single link) male
Common uses: Send HDMI video to a DVI display or vice versa

Send digital video from a DVI source to an HDMI display—or from an HDMI source to a DVI monitor—with a combination DVI/HDMI cable.

HDMI M TO DVI-D M CABLE		1	5+	10+
121 1145	Single Link, 3 ft.	7.99	7.48	7.18
121 1146	Single Link, 6 ft.	8.99	8.40	8.04
121 1147	Single Link, 9 ft.	9.99	9.38	9.02
121 1148	Single Link, 16 ft.	12.99	12.17	11.68

Super Slim VGA

Super Slim Audio/Video Cables



VGA HD15 CABLE W/STEREO, SLIM		1	5+	10+
128 3502	M/M, 3 ft.	7.99	7.56	7.31
128 3504	M/M, 6 ft.	9.49	8.97	8.67
128 3506	M/M, 10 ft.	10.49	9.96	9.65
128 3508	M/M, 15 ft.	12.99	12.35	11.98
128 3510	M/M, 25 ft.	17.99	17.10	16.56
128 3512	M/M, 35 ft.	19.99	19.13	18.62
128 3514	M/M, 50 ft.	25.99	24.86	24.19

Low Loss VGA


Low Loss VGA Cables, HD15



VGA, LOW LOSS, HD15 CABLE		1	5+	10+
128 2235	M/M, 6 ft.	7.99	7.47	7.16
128 2237	M/M, 10 ft.	9.99	9.33	8.94
128 2243	M/M, 15 ft.	14.99	13.97	13.36
128 2238	M/M, 25 ft.	19.99	18.63	17.81
128 2255	M/M, 50 ft.	29.99	28.11	26.98
128 2260	M/M, 100 ft.	49.99	46.97	45.15
128 2240	M/F, extension, 6 ft.	7.99	7.43	7.10
128 2245	M/F, extension, 10 ft.	9.99	9.33	8.94
128 2244	M/F, extension, 15 ft.	14.99	13.97	13.36
128 2250	M/F, extension, 25 ft.	19.99	18.63	17.81
128 2265	M/F, extension, 50 ft.	29.99	28.11	26.98
128 2270	M/F, extension, 100 ft.	49.99	46.97	44.85

VGA

VGA HD15 Monitor & Extension Cables



VGA monitor cable

VGA monitor extension cable

VGA, HD15 EXTENSION CABLE		1	5+	10+
128 2210	M/M, 6 ft.	2.79	2.66	2.59
128 2220	M/M, 10 ft.	3.79	3.60	3.50
128 2230	M/M, 15 ft.	4.59	4.37	4.24
121 2200	M/F, 6 ft.	2.79	2.66	2.59
121 2210	M/F, 10 ft.	3.89	3.67	3.57
121 2220	M/F, 15 ft.	4.69	4.46	4.34

Separate A Video Signal onto Multiple Screens

Mirror a video signal onto multiple monitors with our multi-port VGA video splitters.



VIDEO SPLITTER	1	5+	10+
1041128 2-port, 250Mhz 1920 x 1440	34.95	33.72	32.49
1041129 4-port, 250Mhz 1920 x 1440	44.95	43.33	41.72

Multiply an Analog Video (VGA) Signal from One Source to Two Separate Displays

Split a single analog video source to two separate VGA monitors or projectors. IOGEAR's VGA video splitter increases your video signal transmission distance to up to 215 feet.



- 250MHz bandwidth delivers resolutions up to 1920 x 1440
- Use multiples to split the signal to additional monitors
- No software to install; ready for instant use
- Supports DDC, DDC2 & DDC2B on port 1

3" L x 4" W x 1" H

Includes AC adapter. Requires VGA cables, not included. Monitors not included.

VIDEO SPLITTER, 2-PORT, COMPACT	1	5+	10+
1041138 250MHz, 1920 x 1440	19.99	19.59	19.09

DISPLAY ADAPTERS

Item #	Type	Source Video	Target Video	Additional Info	1	5+	10+
1212321	adapter	HDMI, M	DVI-D (single-link), F	gold-plated	8.79	8.24	7.70
1212322	adapter	HDMI, F	DVI-D (single-link), M	gold-plated	8.99	8.43	7.88
1211138	gender changer	DVI-I (dual-link), F	DVI-I (dual-link), F	1 1/4" L	7.99	7.49	7.09
1211186	signal splitter	DVI-D (dual-link) F	DVI-D (dual-link) F	12 1/4" L	12.99	12.43	11.88
1212285	adapter	DVI-A, M	VGA, F	analog signal only	12.99	11.84	10.99
1212290	adapter	DVI, F	VGA, M	DVI-I and DVI-A compatible	12.99	11.84	10.99
1300197	gender changer	VGA, M	VGA, M	thin-style	2.39	2.24	2.08
1300199	gender changer	VGA, F	VGA, F	thin-style	2.39	2.24	2.08
1212450	signal splitter	VGA, M	2x VGA, F	8" L	3.29	3.12	2.96
1211222	adapter	DisplayPort, M	HDMI, F	8 1/4" L, supports 128-bit DPCP and 40-bit HDCP	19.99	19.12	18.25
1281128	adapter	DisplayPort, M	HDMI, F	2048x1536 max res.	16.99	16.06	15.13
1281127	adapter	DisplayPort, M	DVI-D, F	DVI-D Only	16.99	16.06	15.13
1281178	adapter	Mini DisplayPort, M	HDMI, F	audio supported for some Mac OS computers	19.99	19.29	18.69
1281179	adapter	Mini DisplayPort	DVI-D, F	backward compatible with Thunderbolt	19.99	19.29	18.69
1281180	adapter	Mini DisplayPort	VGA, F	backward compatible with Thunderbolt	19.99	19.29	18.69

1212450
VGA signal splitter1211186
DVI-D signal splitter1212322
HDMI female to DVI-D single link male1211222
DisplayPort, male to HDMI female1281178
Mini DisplayPort male to HDMI female1211138
DVI-I (dual link) gender changer

Computer Hardware

Burn DVDs and CDs with USB-Powered External Disc Reader/Writer

Need to add a DVD burner to your laptop? Samsung's slim DVD Writer is lightweight and easy to use: just plug it in! It can read and write to most every DVD and CD format. The drive doesn't require an AC adapter and weighs only 11 oz., making it easy to travel with.



- Connects to compatible Samsung TVs for direct AV connectivity!
- Tilt actuator compensation technology
- Double O.P.C. technology
- Buffer underrun free
- Firmware live update
- Smart Archive
- Smart Power



Includes Y-type USB cable. Includes Nero 12 Essentials for Windows. DVD playback software not included. Requires Microsoft Windows XP+ or Mac OS 10.4.6+. May require use of 2 adjacent USB ports.

EXTERNAL DVD-RW	1	5+	10+
245 0988 Samsung USB 3.0, 8X	39.95	39.45	38.95

Burns CDs & DVDs and Reads Blu-ray Disc® Media

Burn 16X DVD±R discs with an internal 5.25" optical drive that reads almost every Blu-ray Disc, DVD and CD format. With 12X Blu-ray Disc read speeds and support for Blue-ray 3D, it's one of the best drives for Blu-ray Disc playback.



- Includes 1080p upscaling and 2D to 3D conversion options for DVD playback
- With E-Hammer software for permanent data destruction

BLU-RAY DISC OPTICAL DRIVE	1	5+	10+
245 1020 BD Reader, CD/DVD Burner	64.99	63.86	63.07

Input/Output (I/O) Expansion Cards



Function description	Form Factor	Bracket	Ext. Ports	Int. Ports	Other	Item number	1	5+	10+	
204 0262 USB 3.0 (x4)	USB 3.0	PCI-e	standard	USB 3.0 (4x)	none	4-pin Molex internal power	204 0262	19.99	19.43	18.87
204 0282 SATA 6.0 Mini PCI-e	USB 2.0	10-Pin header female	n/a	None	USB type A female (2x)	n/a	204 0163	9.99	9.49	8.99
	Parallel Port	PCI-e	standard w/ low profile	DB25 female	none	n/a	204 0427	22.99	22.23	21.48
	SATA RAID	PCI-e	low-profile	none	SATA (2x)	RAID levels: 0, 1, 5, 10, JBOD; 6Gbps	204 0197	39.99	39.49	39.09
202 0356 Gigabit Ethernet	SATA 6.0	Mini PCI-e	none	none	SATA 6Gbps (2x)	n/a	204 0282	21.99	21.33	20.68
	Gigabit Ethernet	PCI-e	standard	RJ-45 (8P8C)	none	10/100/1000	202 0356	34.99	34.27	33.55

Hard Disk Drives



Size	Capacity	Manuf.	Brand	Model no.	Interface	RPM	Buffer	Item no.	1	5+	10+
2.5"	250GB	Western Digital	Scorpio Black	WD2500BEKT	SATA 3Gbps	7200	16MB	245 0946	68.99	67.69	66.99
2.5"	500GB	Western Digital	Scorpio Black	WD5000BPKT	SATA 3Gbps	7200	16MB	245 1009	78.99	77.49	76.49
2.5"	750GB	Western Digital	Scorpio Black	WD7500BPKT	SATA 3Gbps	7200	16MB	245 0575	88.99	87.27	86.41
3.5"	500GB	Seagate	Barracuda	ST500DM002	SATA 6Gbps	7200	16MB	245 1012	68.99	67.79	66.09
3.5"	1TB	Seagate	Barracuda	ST1000DM003	SATA 6Gbps	7200	64MB	245 1010	79.99	78.49	77.09
3.5"	2TB	Seagate	Barracuda	ST2000DM001	SATA 6Gbps	7200	64MB	245 0798	109.00	107.00	105.00

Install any 2.5" SATA Drive into a 3.5" SATA Drive Bay

With industry standard 3.5" drive screw mounting locations, the AdaptaDrive enables you to install *any* 2.5" SATA hard drive or solid state drive into a 3.5" SATA drive bay.



- Compatible with backplane trays
- Open design for maximum airflow
- Compatible with all 2.5" 1.5/3.0/6.0Gbps SATA drives



Includes 8 mounting screws. Drive not included.

SATA/SSD CONVERTER BRACKET	1	5+	10+
161 0145 2.5 in.3.5 in, Macs/PCs	19.99	19.49	18.99

Organize & Protect Your Hard Drives

If you use hard drives like the way people used floppies ten years ago, you probably have a stack of them lying around. Get them organized and sealed away from dust and debris with Mukii's colorful HDD protecting boxes.



HARD DRIVE PROTECTOR	1	5+	10+
245 0577 2.5 in, black, 2-pack	4.99	4.79	4.70
245 0578 2.5 in, blue, 2-pack	4.99	4.79	4.70
245 0579 2.5 in, green, 2-pack	4.99	4.79	4.70
245 0580 2.5 in, yellow, 2-pack	4.99	4.79	4.70
245 0581 2.5 in, pink, 2-pack	4.99	4.79	4.70




HARD DRIVE PROTECTOR	1	5+	10+
245 0582 3.5 in, black, single	4.99	4.69	4.55
245 0583 3.5in, blue, single	4.99	4.69	4.55
245 0584 3.5 in, green, single	4.99	4.69	4.55
245 0585 3.5 in, yellow, single	4.99	4.69	4.55
245 0586 3.5in, pink, single	4.99	4.69	4.55

Connect Both IDE & SATA Drives to Your PC Through this USB 2.0 Adapter with One-Touch Backup Feature

This SATA/IDE-to-USB adapter gives you the flexibility of connecting almost any type of drive to your computer via USB. Both SATA and IDE 2.5" and 3.5" drives are supported, along with 5.25" IDE media drives; hot-swap them at anytime or connect multiple drives simultaneously. Press the red button to initiate a complete backup of your computer's drive. The included external power adapter allows you to power your drives outside your system.

- Operates with a SATA and an IDE drive simultaneously
- No adapter needed for 2.5"IDE drives
- Compatible with 64-bit versions of Microsoft Windows



NEW

Measurements: 2 3/4" L x 3 7/8" W x 3/4" H
USB specifications: USB 2.0
Compatible IDE drives: 40-pin (3.5"/5.5") & 44-pin (2.5")
Compatible SATA drives: All standard SATA drives

USB 2.0 TO IDE/SATA HDD ADAPTER	1	5+	10+
131 0868 w/One-Touch Backup	29.99	28.99	27.99

Connect Almost any Loose Hard Drive to Your Computer with Vantec's SATA/IDE to USB Adapter

The SATA/IDE-USB Adapter gives you the flexibility of connecting almost any type of drive to your computer via USB. SATA and IDE drives of any size are supported and can be hot-swapped. The included external power adapter allows you to power your drives outside your system so you can quickly add or swap between drives without opening your case.



USB 2.0 TO SATA/IDE HDD ADAPTER	1	5+	10+
131 0863 by Vantec	24.99	24.49	23.99

Drive eRazer Ultra Meets Department of Defense Drive Sanitization Specs

Dragging a file to the "recycle bin" marks it as "deleted"... but the data remains on the hard disk, hidden in magnetic ones and zeros that a mediocre cracker can decipher. Even "formatting" a drive can leave readable information. Wiebetech's Drive eRazer Ultra fills every sector—in every partition—with nothing but zeroes, leaving nothing left to recover. Your freshly cleaned disk can be reused or sold data- and worry-free. Works with all SATA drives and 3.5" IDE (PATA) drives, regardless of format or OS type.



- Standalone operation, OS independent
- Erases up to 7GB per minute
- Compatible (with adapters, not included) with most flash, PCMCIA, ZIF & DOM drives
- USB 2.0 hard drive dock function



Includes AC adapter. Includes procedures to meet DOD, NIST, CSEC & HMG IS5 standards

WIEBETECH DRIVE ERAZER ULTRA	1	5+	10+
114 0638 for SATA/PATA HDDs	229.00	226.00	223.00

Computer Hardware

SATA 6Gbps Data Cables

Connect your SATA hard drives to drive controller boards with these high-quality SATA cables, rated for SATA 6Gbps ("SATA III"). They all feature latches on the connectors to prevent accidental unfastening.

Round cable, 2 straight ends

120 0224—19"

120 0225—39"



Flat cable, 2 right angle ends

120 0226—19"

120 0227—39"



Flat cable, mixed ends,

120 0228—19"

120 0229—39"



SATA III 6GB/S CABLES W/LATCH

	1	5+	10+
120 0224 Round, 19 in., black	2.49	2.34	2.25
120 0225 Round, 39 in., black	2.99	2.81	2.70
120 0226 2 x 90 degrees, 19 in.	2.49	2.31	2.19
120 0227 2 x 90 degrees, 39 in.	2.99	2.78	2.64
120 0228 Flat, 90 degrees, 19 in.	2.49	2.33	2.22
120 0229 Flat, 90 degrees, 39 in.	2.99	2.79	2.66

Internal PC Power Supply Cables



INTERNAL PC POWER CABLES, MOLEX

	1	5+	10+
113 0278 4-pin extension, 12"	1.59	1.48	1.41
113 0270 4-pin F/2 x 4-pin M, 6"	1.19	1.13	1.09
113 0275 Power Y, 3.5" floppy, 6"	1.19	1.13	1.09

Make the Right SATA Connection with these SATA Data & Power Cables and Adapters



148 0124—Power two SATA hard drives from one 15-pin SATA power supply connector.



148 0098—Power two IDE (PATA) devices from a SATA power supply connector.



120 1141—Adapts a 4-pin Molex power plug to connect to a SATA drive.



120 0216—Convert a SATA power connector from a power supply into a 4-pin Molex connector.



120 0217—Adapts a 4-pin Molex power plug to connect to a SATA drive.




120 1145—4-pin Molex & SATA data to SATA power/data adapter, 20 in.



120 0219—Power two SATA hard drives from one 15-pin SATA power supply connector.



120 0220—Power two SATA hard drives from one 15-pin SATA power supply connector.



120 1147—This adapter cable allows you to power 2 SATA devices from 1 Molex plug.

SATA POWER CABLE ADAPTER	1	5+	10+
148 0124 15-pin, splitter, 16 in.	5.99	5.69	5.49
148 0098 SATA Y splitter, 6 in.	3.49	3.29	3.15
120 0216 SATA power to 4-pin Molex	3.99	3.69	3.48
120 0217 4-pin Molex to SATA power	3.49	3.21	3.02
120 0219 SATA splitter, 16 in.	4.99	4.64	4.40
120 0220 SATA Y splitter	3.49	3.26	3.10
120 1141 4-pin Molex/SATA power	2.99	2.77	2.63
120 1147 4-pin Molex/SATA splitter	3.29	3.11	2.99
120 1145 SATA w/4-pin Molex	3.99	3.76	3.60

Measure Your Power Supply's Functionality with Digital Readout Power Tester

With this LCD-equipped 12V ATX power supply tester, you'll learn more about your computer's power supply than you ever thought you could. First, test every 3.3-, 5- and 12-volt rail to see if all the wires on the 20- or 24-pin connector are functioning properly. Then test all the power supply's peripheral connectors: the tester includes ports for Molex, SATA, P4, PCI-e and FDD power connectors.



- ATX PG. value display
- Lower or higher PG. values alarm
- No-voltage-detected alarm
- Accurate to a tenth of a volt

POWER SUPPLY TESTER

	1	5+	10+
115 0154 w/LCD Screen	24.95	24.05	23.15

Hydro Bearings & Balanced Fan Blades Make these Case Fans Sound Like... Nothing!

148 0182
120mm



148 0180
80mm



148 0178
50mm

GELID SILENT FANS, 3-PIN MOLEX	1	5+	10+
148 0178 50mm	6.99	6.72	6.57
148 0179 60mm	6.99	6.72	6.57
148 0180 80mm	7.29	6.97	6.78
148 0181 92mm	7.99	7.70	7.53
148 0182 120mm	9.99	9.60	9.38

Individual Case Components

161 0260 Steel screw:
Mounts HDD to rails (24)161 0515 Fine thread, hex screw:
Mounts HDD to rails (24)161 0290 6x6mm steel screw: Fastens slot
& port covers (24)161 0520 8mm flat head steel case screw,
coarse thread (24)

161 0195 Tool-free case screws, brass (6)

161 0235 Case fan screws, steel (25)
161 0237 Case fan screws, steel (100)

161 0101 Anti-Vibration Fan Mount Screws (8)



161 0299 HDD micro jumpers (24)



161 0295 Mini Motherboard jumpers (24)



161 0155 Metal case slot covers (6)

CASE COMPONENTS	1	5+	10+
161 0260 Steel screws, 24 pk.	0.69	0.65	0.64
161 0515 HDD hex screws, 24 pk.	1.19	1.11	1.07
161 0290 6mm screws, 24 pk.	0.99	0.93	0.90
161 0520 Case screws, 24 pk.	0.99	0.92	0.89
161 0195 Brass case screws, 6 pk.	1.89	1.78	1.73
161 0235 Case fan screws, 25 pk.	1.89	1.75	1.68
161 0237 Case fan screws, 100 pk.	5.89	5.45	5.23
161 0101 Anti-vibr. fan screws, 8 pc	3.99	3.84	3.77
161 0299 HDD micro jumpers, 24 pk.	1.79	1.69	1.64
161 0295 Mini MB jumpers, 24 pk.	1.19	1.13	1.10
161 0155 Slot Covers, 6 pk	2.39	2.22	2.13

372-Piece Technician's Hardware Pack



- Brass motherboard standoffs, 24
- ATX motherboard standoffs, 12
- Screws for CD/floppy drives, 48
- Case screws, hex head, 48
- Case screws, round head, 48
- Case screws, flat head, 48
- Insulated washers, red, 48
- Drive mounting screws, hex head, 48
- Micro mini-jumpers, HDDs, 24
- Mini-jumpers, motherboard, 24

CASE COMPONENTS	1	5+	10+
115 0250 Pro hardware pack	9.99	9.69	9.39

Simple-to-Use POST Code Testers Quickly Diagnose PC Problems

Connect or plug in one of these testers and then monitor its LED display as your PC boots up. A series of numerical codes will appear as your PC's BIOS performs its self test. Each code refers to a specific hardware issue. For pros, it's a powerful diagnostic tool, and for novices, it gives you valuable information to use when you call for tech support.



204 0509—Desktop model; plugs into a standard PCI slot

- Remembers the past 10 codes in memory
- Supports AMI, AWARD and PHOENIX brand BIOS codes
- External module shows POST codes on separate LCD

Diagnose problems
on the road

204 0508—Laptop model; plugs into a Mini PCI or Mini Card PCI-E slot

POST CODE TEST CARD	1	5+	10+
204 0509 PCI LCD diagnostic, V6.0	39.99	39.09	38.29
204 0508 PCI-e Mini-Card PC V1.0	27.99	26.99	25.99

Simple & Economical Computer Case Lock

Keep your computer systems locked and secure with our lock for computer cases. Simply replace one or more of the standard case screws with our case lock to keep unauthorized personnel from tampering with computer systems, removing peripheral cards, etc.



CPU SECURITY LOCK

CPU SECURITY LOCK	1	5+	10+
132 0380 Replaces case screw	2.39	2.19	1.99

Open-Air Cases Provide Easy Access for Testing

The HSPC Tech Station brings PC components within easy reach but keep them safe and secure. Solid, non-conductive construction makes an outstanding test bench with tool-less mounting for PC components, including ATX motherboards, expansion cards, hard drives, power supplies, optical drives and more. Assembly required.

Get full access to all your
PC's components

- 120mm fan included
- Quickly locks motherboard & cards
- Easy-access hard drive rails
- Non-slip neoprene mat
- Includes ATX switches and LEDs



more open air cases at

CYBERGUYS.COM

162 0101—ATX size

TOP DECK TECH STATION	1	5+	10+
162 0101 Standard, ATX, black	95.99	94.99	93.99



facebook.com/Cyberguys



twitter.com/Cyberguys

CYBERGUYS.COM

Computer Hardware

Prevent Logouts & Standbys with Plug-in Mouse Jiggler

Override screen saver and sleep settings with a simple USB dongle that unobtrusively moves your mouse cursor 1 pixel every 20 seconds. If you are using your PC intermittently, the Mouse Jiggler's tiny cursor movement prevents your computer from locking up or logging off. Works with any computer that can use a USB mouse.



WIEBETECH LOGOUT BLOCKER	1	5+	10+
132 0104 Mouse Jiggler, USB	20.99	20.25	19.73

Degrease CPUs with ArctiClean & Apply Arctic Silver Thermal Compound to Maximize Heatsink Performance

ArctiClean is a 2-step cleaning process that removes existing thermal grease or pads and prepares the thermal surface for a fresh application of thermal interface material.



DeoxIT DN5 Rejuvenates & Protects Electrical Contacts

Use DeoxIT DN5 on new or restored electrical contacts to condition them against future corrosion. DeoxIT DN5 dissolves oxidation and corrosion on metal surfaces, fills in microscopic gaps and reseals surfaces for better electrical conductivity.



- VOC and RoHS compliant
- Nonflammable, quick-drying, non-dripping, and safe on plastics
- Reduces arcing, RFI, wear and abrasion



Arctic Silver 5 is the first premium silver thermal compound specifically designed to maximize the thermal conductivity between today's high-power processors and high-performance heatsink fan assemblies.



Reduces CPU temperature by as much as 44°F

ARCTIC SILVER PRODUCTS	1	5+	10+
148 0060 Arctic Silver 5, 3.5g	8.99	8.58	8.38
148 0061 Arctic Silver 5, 12g	22.99	22.49	21.99
148 0044 ArctiClean 1, 2 kit, 60ml	7.99	7.69	7.39

Antistatic Wrist Strap with Grounding Cord

Wearing an antistatic wrist strap can prevent damaging static discharge while working on static-sensitive equipment. Our antistatic wrist strap attaches by a hook-and-loop fastener and works continuously, discharging static harmlessly as it is generated.



ANTISTATIC WRIST STRAP	1	5+	10+
116 0120 Hook & loop fastener	4.69	4.39	3.99

Apply Instant Traces on Most Surfaces with CircuitWriter

Use this pen and its silver-based acrylic ink to instantly add conductive pathways to epoxy, glass, plastic or metal. Draw traces on circuit boards, repair defective traces, make jumpers and shield electronics, design prototype circuits and repair rear-window heater traces.



Includes 4g of silver-based conductive liquid.

CONDUCTIVE INK	1	5+	10+
115 0282 Caig CircuitWriter Pen	22.95	22.15	21.75

Solder with a 900° Battery-Powered Cordless Iron

Weller's Cordless Soldering Iron rapidly heats to 900 degrees F in less than 15 seconds. It's ideal for electronics, home wiring, robotics, RC cars and more. It's cordless, so it's well suited for cramped or awkward work spaces. Three AA batteries deliver up to 6 watts of heat and should be good for about 120 joins.



Includes a conical soldering tip, 3 AA batteries, a tip wrench and some lead-free solder.

SOLDERING TOOL	1	5+	10+
115 0245 Weller Cordless	17.99	17.79	17.49

Improve Joins with DeoxIT Flux and Tip Tinner

Use DeoxIT Rosin Soldering Flux to remove impurities and oxidation from your solder joins with a RMA paste flux that meets the J-STD-004 for ROL0, the lowest residue corrosivity standard possible. Deoxit's tip tinner cleans and protects your soldering iron tips by preventing oxidation.

SOLDERING	1	5+	10+
115 0257 Rosin Flux, 56g	7.99	7.65	7.48
115 0258 Tip tinner, 14.2g	7.99	7.65	7.48

Laptop Toolkit Includes Torx Drivers, Scissor Clamp and Spudgers

Inside this padded zippered woven nylon case you'll find most of the tools necessary to open the majority of laptop computers and small electronics that you may come across. The screwdrivers feature hardened, magnetic screwdriver blades.

- Straight blade drivers (1.8mm, 3.0mm)
- Phillips drivers #00, #2
- Torx T6, T8, T10
- Scissor clamp
- Tweezers
- 2 nylon pry tools ("spudgers")
- Nylon carrying case



MAC/PC LAPTOP TOOL KIT	1	5+	10+
115 0263 11 pieces w/case	18.95	18.45	18.05

Molex Extractor Tool Kit

The unique Sunbeamtech PSU Modding Tool Kit makes pin removal from universal, floppy, fan, auxiliary and ATX connectors simple. Tools are steel for durability and grip.



Extractor set removes pins from M/F Molex power connectors; male floppy 4-pin power & 3-pin fan connectors; male auxiliary 6-pin power connectors; ATX connector blocks as well as 20-pin and the P4 4-pin ATX power connectors

MOLEX EXTRACTOR TOOL KIT	1	5+	10+
161 1752 4 pieces	18.99	18.49	17.86

Determine a Device's USB Power Needs with USB Power Monitor

Most USB-charged devices want more than the 5 volts/500 millamps that the original USB spec calls for. Smartronix's USB Power Meter can tell you exactly how much current a smartphone, tablet or other device can suck down... or how little a USB port can deliver. The LCD shows the port's precise voltage and the exact current flow.

- Measures current in either direction
- USB 1.0/2.0 compatible
- Folding stand



USB drive not included.

POWER MONITOR	1	5+	10+
112 0164 USB device power tester	49.95	49.07	48.46

Expand Your 1/4" Driver's Fix-It Capabilities with 97 Bits Organized in One Tough Case

With lots of standard bits, lots of uncommon bits and lots of security bits, this 97-piece bit kit has just about every big screw bit you'll need to fix what needs fixing. By including all of the most common, uncommon, and security bits, you will be hard pressed to find a screw that you can't turn. The aluminum case includes a see-through window and a laser-etched foam bit holder with every slot clearly labeled.

NEW



- Wing nut driver
- Magnetic bit holder
- Socket bit holder
- Socket adapter
- 3 clutch bits: sizes 1, 2 & 3
- 3 Torq bits: sizes 6, 8 & 10
- 3 Spline bits: sizes M5, M6 & M8
- 4 Triwing bits: sizes 1, 2, 3 & 4
- 4 square recess bits: sizes 0, 1, 2 & 3
- 4 spanner bits: sizes 4, 6, 8 & 10
- 6 Phillips bits: sizes 0, 1, 2 (x3) & 3
- 4 Pozi-Drive bits: sizes 0, 1, 2 & 3
- 7 flat bits: sizes 2, 3, 4, 5, 6, 7 & 8
- 8 metric hex security bits: 2, 2.5, 3, 4, 5, 6, 7 & 8 mm
- 10 metric hex bits: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7 & 8 mm
- 9 SAE hex security bits: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"
- SAE hex security bits: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"
- Torx bits: sizes T8, T10, T15, T20, T25, T27, T30, T35 & T40
- Torx security bits: sizes TR5, TR6, TR8, TR10, TR15, TR20, TR25, TR27, TR30, TR35 & TR40
- Triangle bit: 2mm



Driver not included.

IFIXIT MACRO BIT SET	1	5+	10+
115 0300 97 bits	29.95	29.95	29.95

Must-Have Toolkits for Hobbyists, Tinkerers, Builders and Fixers

Don't throw it out... fix it! For years, iFixit has been a tremendous resource, teaching people to repair their electronics rather than discarding them. Now iFixit has created a series of toolkits that cater to their free online repair guides. Fix your phone, your tablet, your laptop or your toaster. All the tools you need are here.



NEW

115 0294—iFixit Pro Tech Tool Kit

Contents

- 54 Bit Driver Set (Sold individually as 115 0296)
 - 4mm aluminum driver with magnetic socket, rubber grips & ball-bearing swivel top
 - Flexible shaft extension
 - 60mm shaft extension (doubles as a T-handle)
 - 1/4" adapter (for using these bits in a 1/4" driver)
- 3 Pentalobe bits: sizes 2, 5 & 6 (for iPhone®, MacBook Air® and MacBook Pro®)
- 8 slotted bits: 1, 1.3, 1.5, 2, 2.5, 3, 3.5 & 4 mm
- 5 Phillips bits: sizes 000, 00, 0, 1 & 2
- 4 JIS bits: sizes 000, 00, 0 & 1
- 4 Torx bits: T3, T4, T5 & T6
- 6 Torx security bits: TR7, TR8, TR9, TR10, TR15, TR20 (also compatible with standard Torx)
- 12 hex bits: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5 & 6 mm
- 3 square bits: sizes #0, #1 & #2
- 3mm triangle bit
- 2 tri-wing bits: sizes #0 & #1
- 6 nut drivers: 2.5, 3, 3.5, 4, 4.5 & 5mm
- 3 precision ESD-safe tweezers (Sold individually as 115 0298)
 - flat tip, point tip, bent tip
- 4 plastic opening tools
- Anti-static wrist strap
- Small suction cup with pull ring
- Black stick spudger
- 3 double-ended metal spudgers
- 6-inch metal ruler
- Rugged canvas tool roll

115 0298—iFixit set of 3 precision ESD-safe tweezers



115 0296—iFixit 54 bit Driver Set

IFIXIT TECH TOOLS

IFIXIT TECH TOOLS	1	5+	10+
115 0294 Pro tech kit, 70 pcs	59.95	59.95	59.95
115 0296 Driver kit, 54 bits	24.95	24.95	24.95
115 0298 Precision ESD tweezers	12.95	12.95	12.95